

Safety Data Sheet according to Regulation (EC) n. 453/2010.

Last revision 0000 of 29th May 2019

# 1. Product and Society identification

### **1.1 Product identification**

Identification of the mixture

Denomination: Pool Protector

### 1.2. Pertinent use identified of substances or mixture and not suggested use

One component finishes coating for protection of the surfaces.

# 1.3. Details of the safety data sheet supplier

Supplier:	Diasen s.r.l.
	Z.ind.le Berbentina, 5
	60041 Sassoferrato (AN) – Italia
	Tel. +39 0732 9718
	Fax +39 0732 971899
Contact:	reach@diasen.com

# **1.4. Emergency telephone number**

Emergency telephone number of the company and / or official advisory body: Diasen s.r.l. Tel. 0732/9718 Available outside working hours? No.

# 2. Hazards identification

# 2.1 Classification of the substance or mixture

Regulation criteria CE 1272/2008 (CLP): The product is not considered hazardous according to Regulation CE 1272/2008 (CLP). Physical-chemical effects hazardous for the human and environment health: not dangerous

# 2.2. Label elements

The product is not considered hazardous according to Regulation CE 1272/2008 (CLP). Labels: None Hazard indications: None Caution suggestions: None Special dispositions: None Contains:

#### **DIASEN Srl**

Zona Ind. Berbentina, 5 60041 Sassoferrato (AN) - ITALY Tel. +39 0732 9718 - Fax +39 0732 971899 - diasen@diasen.com - www.diasen.com





1,2-benzisotiazol-3(2H)-one: It may provoke an allergy reaction.
Mixture of: 5-cloro-2-metil-2H-isotiazol-3-one [EC no. 247-500-7]; 2-metil-2H-isotiazol-3-one [EC no. 220-239-6] (3:1):
It may provoke an allergy reaction.
Special disposition based on Annex XVII of REACH and further successivi adjustments:
None
2.3. Other hazards
Substances vPvB: None - Substances PBT: None
Other hazards:
Not other hazards

# 3. Composition/information on ingredients

# 3.1. Substances

N.A.

# 3.2 Mixtures

# Hazardous substances:


Hazardous components according to Regulation CLP and related classification: 1% - 3% 2-(2-butossietossi)etanolo; dietileneglicol(mono)butiletene REACH No.: 01-2119475104-44, Index number: 603-096-00-8, CAS: 112-34-5, EC: 203-961-6 ◆3.3/2 Eye Irrit. 2 H319 1% - 3% 1-fenossipropan-2-olo REACH No.: 01-2119486566-23, CAS: 770-35-4, EC: 212-222-7 ◆3.3/2 Eye Irrit. 2 H319 187 ppm 1,2-benzisotiazol-3(2H)-one Index number: 613-088-00-6, CAS: 2634-33-5, EC: 220-120-9 ◆3.2/2 Skin Irrit. 2 H315 🍄 3.3/1 Eye Dam. 1 H318 ♦ 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317 4.1/A1 Aquatic Acute 1 H400 3.1/4/Oral Acute Tox. 4 H302 11 ppm Mixture of: 5-cloro-2-metil-2H-isotiazol-3-one [EC no. 247-500-7]; 2-metil-2H-isotiazol-3one [EC no. 220-239-6] (3:1) Index number: 613-167-00-5, CAS: 55965-84-9 3.2/1B Skin Corr. 1B H314 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317 4.1/A1 Aquatic Acute 1 H400 <sup>€</sup>4.1/C1 Aquatic Chronic 1 H410 3.1/3/Oral Acute Tox. 3 H301 3.1/3/Dermal Acute Tox. 3 H311

#### **DIASEN Srl**

Zona Ind. Berbentina, 5 60041 Sassoferrato (AN) - ITALY Tel. +39 0732 9718 - Fax +39 0732 971899 - diasen@diasen.com - www.diasen.com







<u>Impurity:</u> It does not contain relevant impurities for classification and labelling.

# 4. First aid measures

### 4.1. Description of first aid measures

In case of skin contact: Thoroughly wash contaminated clothing with water and soap In case of eyes contact: In case of eyes contact, wash immediately and abundantly with water and seek medical consultation. In case of ingestion: Do not induce vomiting. IMMEDIATELY SEEK MEDICAL ADVICE. In case of inhalation: Bring the injured in an open area, taking him/her warm and at rest.

# **4.2. Most important symptoms and effects, both acute and delayed** None

# 4.3. Indication of any immediate medical attention or special treatment

Treatment: None

# 5. Fire fighting measures 5.1. Extinguishing media

Suitable extinguishing media: Water. Carbon bioxide (CO2). Extinguishing media that must not be used for security reasons: None in particular.

# 5.2. Special hazards arising from the substance or mixture

Do not inhale the fumes produced by explosion and combustion. The composition produces heavy smoke.

# 5.3. Advice for fire-fighters

Use adequate breathing systems. Contain separately contaminated water used for extinguishing the fire. Do not discharge in sewer. If possible by security reasons, remove from the hazard area containers not damaged.

Zona Ind. Berbentina, 5 60041 Sassoferrato (AN) - ITALY Tel. +39 0732 9718 - Fax +39 0732 971899 - diasen@diasen.com - www.diasen.com





# 6. Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment.

Remove any ignitition source.

Bring people in a safety area.

Consult protective measures exposed at point 7 and 8.

# **6.2.** Environmental precautions

Avoid that the product uncontrollably reaches water course or sewage system. Prevent that washing water reaches drainage systems.

Contain contaminated washing water and then eliminate it.

In case of gas leak or penetration in water, soil or sewage, must inform required authorities. Material adequate to contain: absorbent material, organic, sand.

# 6.3. Methods and material for containment and recovery

Wash with abundant water.

### 6.4. Reference to other sections

Look at paragraph 8 and 13

## 7. Handling and storage

### 7.1. Precautions for safe handling

Avoid contact with skin, eyes and inhalation of vapours and fogs. During the work do not eat and drink. For protective dispositions, see section 8.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep away from meals, drinks and animal feeds. Not compatible subjects: None in particular. Look at subsequent paragraph 10. Dispositions for internal area: Internal area with good ventilation

# 7.3. Specific end uses

None in particular.

**DIASEN Srl** 

# 8. Exposure controls/ personal protection

# **8.1** Control parameters

2-(2-butossietossi)etanolo; dietileneglicol(mono)butiletene - CAS: 112-34-5

UE - LTE(8h): 67,5 mg/m3, 10 ppm - STE: 101,2 mg/m3, 15 ppm - Note: Bold-type: **Indicative Occupational** 

Exposure Limit Values [2,3] and Limit Values for Occupational Exposure [4] (for references see bibliography)

ACGIH - LTE(8h): 10 ppm - Note: (IFV) - Hematologic, liver and kidney eff

Tel. +39 0732 9718 - Fax +39 0732 971899 - diasen@diasen.com - www.diasen.com





Limited values exposition DNEL N.A. Limited values exposition PNEC N.A.

# 8.2 Exposure control

Eyes protection: Not required for normal usage. Operate according to normal working practices. Skin protection: Special preacautions area not required for the normal usage. Hands protection: Not required for the normal usage. Breath protection: Not necessary for the normal usage. Thermal risks: None Environmental exposition controls: None Adequate techincal controls: None

# 9. Physical And Chemical Properties9.1 Information on basic physical and chemical properties

Propriety	Value	Method:	Note:
Aspect and color:	Liquid at medium		
	color viscosity as		
	described		
Odour:	Characteristic		
Odour threshold:	N.A.		
pH:	8,5		
Boiling and freezing	N.A.		
point:			
Boiling initial point and	N.A.		
interval:			
Flammable point:	N.A.		
Evaporation rate:	N.A.		
Solid and gas	N.A.		
flammability:			
Superior and inferior	N.A.		
limit of flammability or			
explosion:			
Vapor pression:	N.A.		
Vapor density:	N.A.		

#### **DIASEN Srl**

Zona Ind. Berbentina, 5 60041 Sassoferrato (AN) - ITALY Tel. +39 0732 9718 - Fax +39 0732 971899 - diasen@diasen.com - www.diasen.com

PARTITA IVA 01553210426 - R.E.A. Ancona n. 150933 Reg. Imp. Ancona 01553210426 - Cap. Soc. euro 400.000,00.







Relative density:	N.A.	 
Solubility:	N.A.	 
Oil solubility:	N.A.	 
Ripartition coefficient	N.A.	 
(n-ottanolo/water):		
Ignition temperature:	N.A.	 
Decomposition	N.A.	 
temperature:		
Viscosity:	N.A.	 
Explosive propriety:	N.A.	 
Comburent propriety:	N.A.	 

# 9.2 Other information

Propriety	Value	Method:	Note:
Mixability	N.A.		
Solubility:	N.A.		
Conductivity:	N.A.		
Group of substances	N.A.		
characteristics			

10. Stability and reactivity
10.1. Reactivity
Stable in normal conditions
10.2. Chemical stability
Stable in normal conditions
10.3. Possibility of hazardous reactions
10.3. Possibility of hazardous reactions
No hazardous reaction will occur
10.4 Conditions to avoid
Stable in normal conditions.
10.5 Incompatible Materials
No available data.
10.6 Hazardous decomposition products
No hazardous decomposition product

# 11. Toxicological information

# **11.1 Information on toxicological effects**

Toxicological information of mixture: N.A. Toxicological information of the principal substances present in the mixture: 2-(2-butossietossi)etanolo; dietileneglicol(mono)butiletene - CAS: 112-34-5 a) acute toxicity:

#### **DIASEN Srl**

Zona Ind. Berbentina, 5 60041 Sassoferrato (AN) - ITALY Tel. +39 0732 9718 - Fax +39 0732 971899 - diasen@diasen.com - www.diasen.com

PARTITA IVA 01553210426 - R.E.A. Ancona n. 150933 Reg. Imp. Ancona 01553210426 - Cap. Soc. euro 400.000,00.





Test: LD50 - Via: Orale - Specie: Ratto = 6600 mg/kg Test: Irritating for the breathing way Positive b) corrosion/cutaneous irritation: Test: Irritating for the skin Positive c) serious ocular lesions/serious oscular irritation: Test: Irritating for the eyes Positive If not differently specified, data requested according to Regulation (EU) 2015/830 under indications are to be intended N.A.: a) acute toxicity; b) corrosion/cutaneous irritation; c) serious ocular lesions/serious oscular irritation; d) breathing or cutaneous sensibilization; e) mutageneous of germinal cells; f) carcinogenic; g) toxic for reproduction; h) specified toxicity of organic targets (STOT) - single expositions; i) specified toxicity of organic targets (STOT) — ripetitive expositions; j) hazard in case of inhalation.

# 12. Ecological information

# 12.1. Toxicity

Use it according to the good wirking practices, avoiding to discharge the product in the environment. 2-(2-butossietossi)etanolo; dietileneglicol(mono)butiletene - CAS: 112-34-5 a) Acute aquatic toxicity: Endpoint: LC50 - Species: Fishes = 2700 mg/l Endpoint: EC50 - Species: Dafnie > 1000 mg/l

# 12.2 Persistence and degradability

N.A.

# 12.3 Bio-accumulative potential

2-(2-butossietossi)etanolo; dietileneglicol(mono)butiletene - CAS: 112-34-5 Bio-accumulative: N.A.Test: Kow - Coefficient of partition 0.56 - Time: N.A. - Note: N.A.

# 12.4 Mobility in soil (and other compartments if available)

2-(2-butossietossi)etanolo; dietileneglicol(mono)butiletene - CAS: 112-34-5 Mobility in soil: N.A.Test: N.A.N.A. Time: N.A. Note: The product is soluble in water.

# 12.5 Results of evaluations on the PBT or vPvB

Substances vPvB: None - Substances PBT: None

# **12.6 Other adverse effects**

# **DIASEN Srl**

Zona Ind. Berbentina, 5 60041 Sassoferrato (AN) - ITALY Tel. +39 0732 9718 - Fax +39 0732 971899 - diasen@diasen.com - www.diasen.com

PARTITA IVA 01553210426 - R.E.A. Ancona n. 150933 Reg. Imp. Ancona 0155<u>3210426 - Cap. Soc. euro 400.000,00.</u>





None

# 13. Disposal considerations

# 13.1 Waste treatment methods

Recover if possible. Operate according to current local and national dispositions.

# 14. Transport information

# 14.1 ONU Number

Goods not hazardous according to transport norms.

# 14.2 Proper ONU Shipping Name

N.A.

# 14.3 Hazard class for transport

N.A.

**14.4 Packaging group** N.A.

**14.5 Environmental hazards** N.A.

**14.6 Special precautions for users** N.A.

# 14.7 Transport of the product in accordance with the Annex II of Marpol 73/78 and the IBC code

No

# 15. Information on regulation

# 15.1 Safety, health and environmental regulations/legislation specific for the product D.Lgs. 9/4/2008 n. 81 D.M. Lavoro 26/02/2004 (Limits of professional expositions) Regulation (CE) n. 1907/2006 (REACH) Regulation (CE) n. 1272/2008 (CLP) Regulation (CE) n. 790/2009 (ATP 1 CLP) e (UE) n. 758/2013 Regulation (UE) 2015/830 Regulation (UE) n. 286/2011 (ATP 2 CLP) Regulation (UE) n. 618/2012 (ATP 3 CLP) Regulation (UE) n. 944/2013 (ATP 4 CLP) Regulation (UE) n. 944/2013 (ATP 5 CLP) Regulation (UE) n. 605/2014 (ATP 6 CLP)

#### **DIASEN Srl**

Zona Ind. Berbentina, 5 60041 Sassoferrato (AN) - ITALY Tel. +39 0732 9718 - Fax +39 0732 971899 - diasen@diasen.com - www.diasen.com





Restrictions related to the product or substances contained in Annex XVII of Regulation (CE) 1907/2006 (REACH) and subsequent adjustments: Restrictions related to the product: **Restrictions 40** Restrictions related to substances contained: **Restrictions 55** None Solvents classes according to DPR 203/88 (SOV): None Where applicable, it should be referred to the following norms: Ministries dispositions 46 and 61 (Ammine aromatiche). D.Lgs. 21 September 2005 n. 238 (Direttiva Seveso Ter) Regulation 648/2004/CE (Detergenti). D.L. 3/4/2006 n. 152 Norm in environmental matter Related disposition to directive 82/501/EC(Seveso), 96/82/EC(Seveso II): N.A. VOC (2004/42/EC) : 140 g/l

# 15.2 Chemical Safety Assessment (CSA)

No

# 16. Other information

# 17. 16.1 Full text of classifications [DSD/DPD]

Full text of phrases used in paragraph 3:

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H318 Causes serious ocular lesions.

H317 May cause an allergic skin reaction.

H400 Toxic to aquatic life with long lasting effects.

H302 Harmful if ingested.

H314 May cause serious cutaneous burn and serious ocular lesions.

H410 Very toxic for aquatic life with long lasting effects.

H301 Toxic if ingested.

H311 Toxic for skin contact.

H331 Toxic if inhalated.

This document has been drafted by a specialised technician in subject of SDS, after having received adequate education.

Major sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

Zona Ind. Berbentina, 5 60041 Sassoferrato (AN) - ITALY Tel. +39 0732 9718 - Fax +39 0732 971899 - diasen@diasen.com - www.diasen.com





SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold CCNL - Allegato 1 Istituto Superiore di Sanità - Inventario Nazionale Sostanze Chimiche

# Abbreviations and acronyms

ADR: Agreement on road transport of dangerous good by road. CAS: Chemical Abstract Service (unit of American Chemical Society). CLP: Classification, Labelling, Packaging. DNEL: Derived No Effect Level. EINECS: European Inventory of Existing Commercial Chemical Substances. GefStoffVO: Ordinanza sulle sostanze pericolose, Germania. GHS: Globally Harmonized System of Classification and Labelling of Chemicals. IATA: International Air Transport Association. IATA-DGR: International Air Transport Association- Dangerous Good Regulation (IATA). ICAO: International Civil Aviation Organization. ICAO-TI: Technical Instructions of "International Civil Aviation Organization" (ICAO). IMDG: International Maritime Dangerous Goods code. INCI: International Nomenclature of Cosmetic Ingredients. KSt: Explosive coefficient. LC50: Lethal Concentration for 50 % of the tested population. LD50: Lethal Dose for 50 % of the tested population. LTE: Long term exposition. PNEC: Concentrazione prevista senza effetto. RID: Regulation concerning international transport by rail of dangerous goods. STE: Esposizione a breve termine. STEL: Short term exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold limit value.

TWATLV: Threshold limit value for a Time Weighted Average of 8 hours per day. (ACGIH Standard).

WGK: Wassergefährdungsklassen (German Water Hazard Classes).

# Release:

This safety data sheet (SDS) is based on legal provisions contained in the REACH Regulation (EC / 1907/2006), as amended and supplemented. The information contained herein is based on information described in SDS of raw materials that compose the product and on our knowledge at the indicated date. It only refers to the specified product and it does not constitute a guarantee of particular quality.





No statement or guarantee concerning accuracy, reliability, and completeness of the data contained in this SDS is released. The company does not take any liability for damages to people or things that may result from a product usage different from the intended one. The SDS does not replace but completes tests or rules that regulate the activity of employment. The user has full responsibility for the necessary precautions concerning how the product will be used. This safety data sheet revokes and replaces any previous edition.

Indications of changes to the previous version of the SDS: review of the entire document.

This SDS is available in digital form on the website: www.diasen.com.

11/11

**DIASEN Srl** Tel. +39 0732 9718 - Fax +39 0732 971899 - diasen@diasen.com - www.diasen.com

Reg. Imp. Ancona 01553210426 - Cap. Soc. euro 400.000,00.



